







































































































































































































































- [5] ARECES, C., P. BLACKBURN, and M. MARX, ‘The Computational Complexity of Hybrid Temporal Logics’, *Logic Journal of the IGPL*, 8(5):653–679, 2000.
- [6] ARECES, C., P. BLACKBURN, and M. MARX, ‘Hybrid Logics: Characterization, Interpolation and Complexity’, *Journal of Symbolic Logic*, 66:977–1010, 2001.
- [7] ARECES, C., H. DENIVELLE, and M. DERIJKE, ‘Resolution in Modal, Description and Hybrid Logic’, *Journal of Logic and Computation*, 11:717–736, 2001.
- [8] ARECES, C., J. HEGUIABEHERE, ‘HyLoRes: Direct Resolution for Hybrid Logics’, available on Hybrid Logic Homepage.
- [9] ARECES, C., D. GORIN, ‘Ordered resolution with selection for  $h(@)$ ’, in: F. Baader, and A. Voronkov (eds.) *Proceedings of LPAR 2004*, pp. 125–141, LNCS 3452, 2005.
- [10] ARECES, C., B. TEN CATE, ‘Hybrid Logics’, in: P. Blackburn, J. van Benthem, and F. Wolter (eds.) *Handbook of Modal Logic*, pp. 821–868, Elsevier 2006.
- [11] AVRON, A., ‘Gentzen-type systems, Resolution and Tableaux’, *Journal of Automated Reasoning* 10/2:265–281, 1993.
- [12] AVRON, A., F. HONSELL, M. MICULAN and C. PARAVANO, ‘Encoding Modal Logics in Logical Frameworks’, *Studia Logica* 60:161–202, 1998.
- [13] BASIN, D., S. MATHEWS, and L. VIGANO, ‘Labelled Propositional Modal Logics: Theory and Practice’, *Journal of Logic and Computation* 7(6):685–717, 1997.
- [14] BASIN, D., S. MATHEWS, and L. VIGANO, ‘Natural Deduction for Non-Classical Logics’, *Studia Logica* 60:119–160, 1998.
- [15] BELNAP, N., D. ‘Display Logic’, *Journal of Philosophical Logic*, 11:375–417, 1982.
- [16] BLACKBURN, P. *Nominal Tense Logic and other Sorted Intensional Frameworks*, Ph.D thesis, Centre for Cognitive Science, University of Edinburgh, 1990.
- [17] BLACKBURN, P., ‘Nominal Tense Logic’, *Notre Dame Journal of Formal Logic*, 34:56–83, 1992.
- [18] BLACKBURN, P., ‘Tense, temporal reference and tense logic’, *Journal of Semantics*, 11:83–101, 1994.
- [19] BLACKBURN, P., ‘Internalizing Labelled Deduction’, *Journal of Logic and Computation*, 10(1):137–168, 2000.
- [20] BLACKBURN, P., ‘Representation, Reasoning, and Relational Structures: a Hybrid Logic Manifesto’, *Logic Journal of the IGPL*, 8(3):339–365, 2000.



- [21] BLACKBURN, P., ‘Fine Grained Theories of Time’, in: H. Wansing (ed.) *Non-Classical Logic*, King’s College University Press, 2001.
- [22] BLACKBURN, P., M. DERIJKE, and Y. VENEMA, *Modal Logic*, Cambridge University Press, Cambridge 2001.
- [23] BLACKBURN, P., M. MARX, ‘Tableaux for Quantified Hybrid Logic’, in: U. Egly, C. Fermüller (eds.), *Tableaux 2002, LNAI 2381*, pp. 38–52.
- [24] BLACKBURN, P., J. SELIGMAN, ‘Hybrid Languages’, *Journal of Logic, Language and Information*, 4:251–272, 1995.
- [25] BLACKBURN, P., M. TZAKOVA, ‘Hybrid Completeness’, *Logic Journal of the IGPL*, 6(4):625–650, 1998.
- [26] BLACKBURN, P., M. TZAKOVA, ‘Hybrid Languages and Temporal Logic’, *Logic Journal of the IGPL*, 7(1):27–54, 1999.
- [27] BLACKBURN, P., B. TEN CATE, ‘Beyond Pure Axioms: Node Creating Rules in Hybrid Tableaux’, in: C. Areces et al (eds.) *Hybrid Logics*, pp. 21–35, 2002.
- [28] BLACKBURN, P., B. TEN CATE, ‘Pure Extensions, Proof Rules and Hybrid Axiomatics’, *Studia Logica* 75/3:345–376, 2006.
- [29] BOOLOS, G., ‘Don’t eliminate Cut’, *Journal of Philosophical Logic*, 7:373–378, 1984.
- [30] BRAÜNER, T., ‘Natural Deduction for Hybrid Logic’, *Journal of Logic and Computation* 14/3:329–353, 2004.
- [31] BULL, R., ‘An approach to Tense Logic’, *Theoria* 36:282–300, 1970.
- [32] BULL, R. and K. SEGERBERG ‘Basic Modal Logic’, in: D. Gabbay, F. Guentner (eds.), *Handbook of Philosophical Logic*, vol II, pp. 1–88, Reidel Publishing Company, Dordrecht 1984.
- [33] BURGESS, J.,P., ‘Basic Tense Logic’, in: D. Gabbay, F. Guentner (eds.), *Handbook of Philosophical Logic*, vol II, pp. 89–133, Reidel Publishing Company, Dordrecht 1984.
- [34] CARNIELLI, W.,A., ‘On Sequents and Tableaux for Many-valued Logics’, *Journal of Non-Classical Logic* 8(1):59–76, 1991.
- [35] CHANG, C.,L. and R.,C.,T., LEE, *Symbolic Logic and Mechanical Theorem Proving*, Academic Press, Orlando 1973.
- [36] CHELLAS, B., *Modal Logic*, Cambridge University Press, Cambridge 1980.
- [37] DAVIS, M. and H. PUTNAM, ‘A Computing Procedure for Quantification Theory’, *Journal of the Assoc. Comput. Mach.* 7:201–215, 1960.

- [38] DEMRI, S. ‘Sequent Calculi for Nominal Tense Logics: a step towards mechanization?’, in: N. Murray (ed.), *Tableaux 99, LNAI 1617*, pp. 140–154, Springer, Berlin 1999.
- [39] DEMRI, S. and R. GORÉ, ‘Cut-free Display Calculi for Nominal Tense Logics’, in: N. Murray (ed.), *Tableaux 99, LNAI 1617*, pp. 155–170, Springer, Berlin 1999.
- [40] FARIÑAS DEL CERRO, L. and A. HERZIG, ‘Modal Deduction with Applications in Epistemic and Temporal Logics’, in: D. Gabbay et al. (eds.) *Handbook of Logic in Artificial Intelligence and Logic Programming*, vol IV, pp. 499–594, Clarendon Press, Oxford 1995.
- [41] FITCH, F., *Symbolic Logic*, Ronald Press Co, New York 1952.
- [42] FITCH, F., ‘Tree Proofs in Modal Logic (abstract)’, *The Journal of Symbolic Logic*, 31:152, 1966.
- [43] FITCH, F., ‘Natural Deduction Rules for Obligation’, *American Philosophical Quarterly*, 3:27–38, 1966.
- [44] FITTING, M., ‘Tableau methods of proof for Modal Logics’, *Notre Dame Journal of Formal Logic*, 13(2):237–247, 1972.
- [45] FITTING, M., *Proof Methods for Modal and Intuitionistic Logics*, Reidel, Dordrecht 1983.
- [46] FITTING, M., ‘Destructive Modal Resolution’, *Journal of Logic and Computation*, 1(1):83–97, 1990.
- [47] FITTING, M., *First-Order Logic and Automated Theorem Proving*, Springer, Berlin 1996.
- [48] FITTING, M., R., L. MENDELSON, *First-Order Modal Logic*, Kluwer, Dordrecht 1998.
- [49] GABBAY, D., ‘An Irreflexivity Lemma with Applications to Axiomatizations of Conditions on Linear Frames’, in: U. Munnich, (ed.) *Aspects of Philosophical Logic*, pp. 67–89, Reidel 1981.
- [50] GABBAY, D., *LDS - Labelled Deductive Systems*, Clarendon Press, Oxford 1996.
- [51] GABBAY, D., A. KURUCZ, F. WOLTER, M. ZAKHARYASCHEV, *Many-Dimensional Modal Logics: Theory and Applications*, Elsevier 2003.
- [52] GALLIER, J.,H., *Logic for Computer Science*, Harper and Row, New York 1986.
- [53] GARGOV, G., V. GORANKO ‘Modal Logic with Names’, *Journal of Philosophical Logic*, 22:607–636, 1993.

- [54] GENTZEN, G., ‘Untersuchungen über das Logische Schliessen’, *Mathematische Zeitschrift* 39:176–210 and 39:405–431, 1934.
- [55] GENTZEN, G., ‘Die Widerspruchsfreiheit der reinen Zahlentheorie’, *Mathematische Annalen* 112:493–565, 1936.
- [56] GOLDBLATT, R. I. *Logics of Time and Computation*, CSLI Lecture Notes, Stanford 1987.
- [57] GORANKO, V., ‘Refutation Systems in Modal Logic’, *Studia Logica* 53/2:229–234, 1994.
- [58] GORANKO, V., ‘Temporal Logic with reference pointers’, in: *Temporal Logic*, LNIAI 827, pp. 133–148, Springer 1994.
- [59] GORANKO, V., D. VAKARELOV, ‘Sahlqvist formulas in hybrid polyadic modal logics’, *Journal of Logic and Computation* 11/5:737–754, 2001.
- [60] GORÉ, R. *Cut-free Sequent and Tableau Systems for Propositional Normal Modal Logics*, PhD thesis, University of Cambridge, 1992.
- [61] GORÉ, R. ‘Tableau Methods for Modal and Temporal Logics’, in: M. D’Agostino et al. (eds.), *Handbook of Tableau Methods*, pp. 297–396, Kluwer Academic Publishers, Dordrecht 1999.
- [62] HÄHNLE, R. *Automated Deduction in Multiple-Valued Logics*, Oxford University Press, 1994.
- [63] M. D’Agostino et al. (ed.), *Handbook of Tableau Methods*, Kluwer Academic Publishers, Dordrecht 1999.
- [64] HAWTHORN, J., ‘Natural Deduction in Normal Modal Logic’, *Notre Dame Journal of Formal Logic* 31:263–273, 1990.
- [65] HEMASPAANDRA, E., ‘The Price of Universality’, *Notre Dame Journal of Formal Logic* 37:174–203, 1996.
- [66] HORROCKS, I. *Optimising Tableaux Decision Procedures for Description Logics*, PhD Thesis, University of Manchester 1997.
- [67] HORROCKS, I., U. SATLER, and S. TOBIES, ‘Practical Reasoning for Very Expressive Description Logics’, *Logic Journal of the IGPL* 8(3):239–263, 2000.
- [68] HUSTADT, U. and R.,A. SCHMIDT, ‘Issues of decidability for Description logics in the framework of resolution’, in: R. Caferra and G. Salzer (eds.), *Automated Deduction in Classical and Non-Classical Logics*, pp. 192–206, Springer 2000.
- [69] HUSTADT, U. and R.,A. SCHMIDT, ‘Using Resolution for Testing Modal Satisfiability and building Models’, *Journal of Automated Reasoning* 28(2):205–232, 2002.

- [70] INDRZEJCZAK, A., ‘Natural Deduction System for Tense Logics’, *Bulletin of the Section of Logic* 23(4):173–179, 1994.
- [71] INDRZEJCZAK, A., ‘Cut-free Sequent Calculus for S5’, *Bulletin of the Section of Logic* 25(2):95–102, 1996.
- [72] INDRZEJCZAK, A., ‘Generalised Sequent Calculus for Propositional Modal Logics’, *Logica Trianguli* 1:15–31, 1997.
- [73] INDRZEJCZAK, A., ‘A Survey of Natural Deduction Systems for Modal Logics’, *Logica Trianguli* 3:55–84, 1999.
- [74] INDRZEJCZAK, A., ‘Multiple Sequent Calculus for Tense Logics’, Abstracts of AiML and ICTL 2000:93–104, Leipzig 2000.
- [75] INDRZEJCZAK, A., ‘Decision Procedure for Modal Logics in Natural Deduction setting’, unpublished version, Łódź 2001.
- [76] INDRZEJCZAK, A., ‘Hybrid system for (not only) Hybrid Logic’, Abstracts of AiML 2002:137–156, Toulouse 2002.
- [77] INDRZEJCZAK, A., ‘Labelled Analytic Tableaux for S4.3.’, *Bulletin of the Section of Logic* 31(1):15–26, 2002.
- [78] INDRZEJCZAK, A., ‘Resolution based Natural Deduction’, *Bulletin of the Section of Logic* 31(3):159–170, 2002.
- [79] INDRZEJCZAK, A., ‘A Labelled Natural Deduction System for Linear Temporal Logic’, *Studia Logica* 75/3:345–376, 2003.
- [80] INDRZEJCZAK, A., ‘Introduction to methodology of Sequent Calculi’, unpublished manuscript in polish, 2006.
- [81] JAŚKOWSKI, S., ‘On the Rules of Suppositions in Formal Logic’, *Studia Logica* 1:5–32, 1934.
- [82] KALISH, D., and R. MONTAGUE, ‘Remarks on Descriptions and Natural Deduction’, *Archiv. für Mathematische Logik und Grundlagen Forschung* 3:50–64, 65–73, 1957.
- [83] KALISH, D., and R. MONTAGUE, *Logic, Techniques of Formal Reasoning*, Harcourt, Brace and World, New York 1964.
- [84] KONIKOWSKA, B., ‘A logic for reasoning about relative similarity’, *Studia Logica* 58(1):185–226, 1997.
- [85] KRACHT, M., ‘Power and Weakness of the Modal Display Calculus’, in: H. Wansing (ed.) *Proof Theory of Modal Logic*, pp. 93–121, Kluwer, Dordrecht 1996.
- [86] KRIPKE, S., ‘A Completeness Theorem in Modal Logic’, *Journal of Symbolic Logic* 24:1–14, 1959.

- [87] MARX, M., S. MIKULAS, and M. REYNOLDS, ‘The Mosaic Method for Temporal Logics’, in: R. Dyckhoff (ed.) *Automated Reasoning with Analytic Tableaux and Related Methods*, Proc. of International Conference TABLEAUX 2000, Saint Andrews, Scotland, LNAI 1847:324–340, Springer 2000.
- [88] MASSACCI, F., ‘Strongly Analytic Tableaux for Normal Modal Logics’, in: A. Bundy (ed.) *Proc. CADE-12*, LNAI 814:723–737, Springer 1994.
- [89] MASSACCI, F., ‘Single Step Tableaux for Modal Logics: methodology, computations, algorithms’, Technical Report TR-04, Dipartimento di Informatica e Sistemistica, Universita di Roma “La Sapienza” 1998.
- [90] MCCARTHY, J., P. HAYES, ‘Some philosophical problems from the standpoint of Artificial Intelligence’, in: B. Meltzer, D. Michie (ed.) *Machine Intelligence 4*, Edinburgh University Press 1969.
- [91] DE NIVELLE, H., R.,A. SCHMIDT, and U. HUSTADT, ‘Resolution-based Methods for Modal Logics’, *Logic Journal of the IGPL*, 8/3:265–292, 2000.
- [92] OHNISHI, M., K. MATSUMOTO, ‘Gentzen Method in Modal Calculi I’, *Osaka Mathematical Journal* 9:113–130, 1957.
- [93] OHNISHI, M., K. MATSUMOTO, ‘Gentzen Method in Modal Calculi II’, *Osaka Mathematical Journal* 11:115–120, 1959.
- [94] ØHRSTRØM, P., P. HASLE, ‘A.N. Prior Rediscovery of Tense Logic’, *Erkenntnis* 39:23–50, 1993.
- [95] ORŁOWSKA, E. ‘Relational interpretation of Modal Logics’, Technical Report ICSPas 1987.
- [96] PASSY, S., T. TINCHEV, ‘PDL with data constants’, *Information Processing Letters* 20:35–41, 1985.
- [97] PASSY, S., T. TINCHEV, ‘An essay in CDL’, *Information and Computation* 93:263–332, 1991.
- [98] PERZANOWSKI, J., ‘Logiki modalne a filozofia’, in: J. Perzanowski (ed.) *Jak filozofować*, pp. 262–346, PWN, Warszawa 1989.
- [99] PERZANOWSKI, J., ‘Combination Semantics for Intensional Logics I’, *Logique et Analyse* 165–166:181–203, 1999.
- [100] PERZANOWSKI, J., ‘Towards Combination Metaphysics’, *Reports on Mathematical Logic*, 38:93–116, 2004.
- [101] PRAWITZ, D. *Natural Deduction*, Almqvist and Wiksell, Stockholm 1965.
- [102] PRIOR, A. *Time and Modality*, Oxford University Press, Oxford 1957.

- [103] PRIOR, A. *Past, Present and Future*, Clarendon/Oxford University Press, Oxford 1967.
- [104] PRIOR, A. *Papers on Time and Tense*, Clarendon/Oxford University Press, Oxford 1968.
- [105] RESCHER, N., and A. URQUHART, *Temporal Logic*, Springer-Verlag, New York 1971.
- [106] ROBINSON, J.,A., ‘A Machine Oriented Logic based on the Resolution Principle’, *Journal of the Assoc. Comput. Mach.*, 12:23–41, 1965.
- [107] RUSSO, A., ‘Modal Labelled Deductive Systems’, Dept. of Computing, Imperial College, London, Technical Report 95/7, 1995.
- [108] SCHMIDT, R.,A., ‘Developing Modal Tableaux and Resolution Methods via First-Order Resolution’, in: M. de Rijke (ed.) *Advances in Modal Logic 6*, pp. 107–135. Kluwer 2006.
- [109] SELIGMAN, J., ‘A cut-free sequent calculus for elementary situated reasoning’, Technical Report HCRC/RP-22 HCRC, Edinburgh, 1991.
- [110] SELIGMAN, J., ‘Situated Consequence in Elementary Situation Theory’, Logic Group Preprint IULG-92-16, Indiana University, 1992.
- [111] SELIGMAN, J., ‘The Logic of Correct Description’, in: M. de Rijke (ed.) *Advances in Intensional Logic*, pp. 107–135. Kluwer 1997.
- [112] SELIGMAN, J., ‘Internalization: The Case of Hybrid Logics’, *Journal of Logic and Computation*, 11:671–689, 2001.
- [113] SIMPSON, A. *The Proof Theory and Semantics of Intuitionistic Modal Logic*, PhD thesis, University of Edinburgh, 1994.
- [114] SMULLYAN, R., *First-Order Logic*, Springer, Berlin 1968.
- [115] TEN CATE, B. *Model Theory for Extended Modal Languages*, PhD thesis, University of Amsterdam, 2004.
- [116] THOMASON, R., H., ‘A Fitch-style formulation of Conditional Logic’, *Logique et Analyse* 13:397–412, 1970.
- [117] TZAKOVA, M., ‘Tableau Calculi for Hybrid Logics’, in: N. Murray (ed.) *Conference on Tableaux Calculi and Related Methods (TABLEAUX)*, Saratoga Springs, USA, LNAI 1617 pp. 278–292, 1999.
- [118] VICKERS, S., *Topology via Logic*, Cambridge University Press, Cambridge 1988.
- [119] WANSING, H., *Displaying Modal Logics*, Kluwer Academic Publishers, Dordrecht 1999.

- [120] WANSING, H., ‘Sequent Systems for Modal Logics’, in: D. Gabbay, F. Guentner (eds.), *Handbook of Philosophical Logic*, vol IV, pp. 89–133, Reidel Publishing Company, Dordrecht 2002.
- [121] ZEMAN, J.,J., *Modal Logic*, Oxford University Press, Oxford 1973.

ANDRZEJ INDRZEJCZAK  
Lodz University  
Department of Logic  
ul. Kopcińskiego 16/18  
90-232 Łódź, Poland  
`indrzej@filozof.uni.lodz.pl`