Topological Methods in Nonlinear Analysis Volume 54, No. 2B, 2019, 1075–1092 DOI: 10.12775/TMNA.2019.092

© 2019 Juliusz Schauder Centre for Nonlinear Studies Nicolaus Copernicus University in Toruń

ON TIME-PERIODIC SOLUTIONS OF SOME NONLINEAR PARABOLIC EQUATIONS WITH NONMONOTONE MULTIVALUED TERMS

Mitsuharu Ôtani — Vasile Staicu

Dedicated to the memory of Professor Ioan I. Vrabie

ABSTRACT. In this paper we study the existence of time periodic solutions to a class of nonlinear parabolic equations with multivalued nonlinear terms subject to the homogeneous Dirichlet boundary condition. We give two types of existence results: one for large periodic solutions with any large data, and the other for small periodic solutions with small data. Both concern the case where the nonlinear terms contain either a upper semicontinuous multivalued term or a lower semicontinuous multivalued term. Some applications of our results are also given.

1. Introduction

Let $\Omega \subset \mathbb{R}^N$ be a bounded open subset of \mathbb{R}^N with smooth boundary $\partial\Omega$, and let $Q_T := \Omega \times [0,T]$ and $\Gamma_T := \partial\Omega \times [0,T]$ with T > 0. Consider the following

²⁰¹⁰ Mathematics Subject Classification. 35K55, 35B10, 35D35, 49J53.

 $Key\ words\ and\ phrases.$ time-periodic solutions; nonlinear parabolic equations; nonmonotone multivalued terms.

The first author was partially supported by the Grant-in-Aid for Scientific Research, $\sharp15K13451,$ the Ministry of Education, Culture, Sports, Science and Technology, Japan.

The second author was partially supported by Portuguese funds through CIDMA – Center for Research and Development in Mathematics and Applications, within project UID/MAT/04106/2019(CIDMA).